

# Technical Information for

# **Lydia Mendelssohn Theatre**

Version current as of September 2019

# **VENUE ADDRESS**

911 N. University Ave. Ann Arbor, MI 48109-1265

# **MAILING ADDRESS**

University Productions 128 Michigan League 911 N. University Ave. Ann Arbor, MI 48109-1265

# **AUDITORIUM SEATING CAPACITY**

| Orchestra                                     | 386 |
|---|-----|
| Orchestra wheelchair spaces                   | 6   |
| Orchestra companion seats                     | 8   |
| Balcony                                       | 220 |
| Total capacity (including accessible seating) | 620 |



## **LOAD-IN ACCESS**

Fletcher Street between N. University and Washington Streets. (Google address for stage door is 234 Fletcher St.)

Loading Dock Door 9'-8" x 5' (Loading dock door is at street level)

Note: the loading door leads into the trap room where all scenery must be lifted to stage level via a center stage elevator. After the set is onstage, the elevator is inoperable because the lift platform is part of the stage floor.

## **ELEVATOR TRAP INFORMATION**

Trap dimensions: 7'-10" x 9'-21/4"

Loading platform to stage: 15'-3" Basement floor to stage: 20'

#### STAGE SPECIFICATIONS

Proscenium arch width 29'-11"
Proscenium arch height 16'-10"

Depth of stage 28'-3" ( plaster line to back wall)

Depth of apron 4'-8" (front of stage to plaster line)

Dimensions of orchestra pit 4'-2" x 21'-5" (50-5%" below stage level)

Note: Orchestra pit changes in width according to the curvature of the stage apron. Please reference the ground plan for more details.

Stage floor - Masonite, painted black

## RIGGING

Single purchase manual counterweight system

Number of line sets 29 Height of grid from stage floor 37'-4"

Highest batten can be flown
Lowest batten can be flown
5' (Electrics 33')
5' (Electrics 3'-10")

Distance from back wall to last set 4'-6" Minimum pipe length 36'-6"

Arbor capacity 500lbs/226kg

Weight Information Information Full weight - 19 lbs, 1 1/2" tall

1/2 weight - 12 lbs, 1" tall

House additional weights 106 full @19 lbs = 2014 lbs

104 half @12 lbs = 1248 lbs

Note - no weight loading gallery - all loading must be at stage level



## **SOFT GOODS**

House Curtain - Red, manual guillotine with split in the center, no traveler House Masking Hang (all draperies are black velour)

One (1) Teaser 34'w x 17', 6"h (line set #2)

Two (2) pair legs 8'w x 22'h (line sets #6 and #20)
Two (2) travelers 16'w x 22'h (line sets #13 and #27)
Three (3) borders 40'w x 7'h (line sets #12, #19 and #26)

Sidetabs - Two (2) dead hung traveler tracks, SL & SR, running US/DS at 19' from center w/two (2) pieces each 27'w x 22'h

# Additional drapery

Four (4) legs: 8'w x 17'h
Two (2) borders: 7'h x 40'w
Four (4) travelers: 19'w x 17'h
One (1) scrim, black sharkstooth: 28'w x 16'h
One (1) scrim, white sharkstooth: 30'w x 16'h
One (1) scrim, white sharkstooth: 30'w x 16'h
One (1) scrim, black sharkstooth: 39'w x 24'h

One (1) painted drop: 30'w x 16'h (mimics design of proscenium)

#### **COMPANY SWITCHES**

110/208v 3 phase 5 wire - One (1) 200 amp disconnect in SR Flyloft Note - Access to this power is ONLY via 400 amp locking Cam Locks

120/240v Single phase 4 wire - One (1) 60 amp outlet located Downstage Right Note - Access to this power requires a NEMA 15-60 Plug

120v Single phase 3 wire - One (1) 50 amp outlet located Downstage Right Note - Access to this power requires a 60 amp 2PNG Plug

## **LIGHTING SYSTEM**

# **Lighting Control**

One (1) ETC Ion w/ 2x20 fader wing (w/ two (2) non touch screen displays)

One (1) ETC (Operating System 2.7.2) Nomad Puck w/ two (2) touch screen displays

One (1) ETC Radio focus remote

ETC Net3 ports located throughout the hall

Note - The ETC Ion is semi-permanently installed in the stage right light booth. The ETC Nomad Puck is available for use throughout the venue.



## **Dimmers**

One hundred ninety (190) ETC 2.4kW dimmers

One (1) ETC 6kW dimmer (for house light control)

Note - Any dimmer can be switched with a non-dimming drawer to provide 120v power. Please consult the house technician for further information.

#### Front of House

Units at these positions are permanently mounted.

Follow Spot Booth (located at center rear of the balcony)

Two (2) ETC Source Four 10° 750w on City Theatrical follow spot yokes

| Box Boom #1 SL & SR (each) | Three (3) ETC Source Four 26° 575w            |  |
|----------------------------|---|--|
|                            | Three (3) ETC Source Four 36° 575w            |  |
|                            | Three (3) ETC Source Four LED Lustr 2 26°     |  |
|                            | Three (3) ETC Source Four LED Lustr 2 36°     |  |
| Box Boom #2 SL & SR (each) | Three (3) ETC Source Four 19° 575w            |  |
|                            | Three (3) ETC Source Four 26° 575w            |  |
|                            | Three (3) ETC Source Four LED Lustr 2 19°     |  |
|                            | Three (3) ETC Source Four LED Lustr 2 26°     |  |
| Cove #1                    | Fourteen (14) ETC Source Four LED Lustr 2 19° |  |
| Cove #2                    | Eight (8) ETC Source Four LED Lustr 2 14°     |  |

## Overstage

Units at these positions may be changed at will, but must be restored at strike. #1 Electric (Lineset 3) Eight (8) ETC Source Four 36° 575w Eight (8) ETC Source Four PAR WFL 575w Two (2) Altman LED Work Lights #2 Electric (Lineset 4) Four (4) 6' ColorBlaze 72 RGB LED Strips #3 Electric (Lineset 14) Six (6) ETC Source Four 36° 575w Two (2) Altman LED Work Lights Eight (8) ETC Source Four PAR WFL 575w #4 Electric (Lineset 15) Four (4) 6' ColorBlaze 72 RGB LED Strips #5 Electric (Lineset 21) Six (6) ETC Source Four 36° 575w Eight (8) ETC Source Four PAR WFL 575w #6 Electric (Lineset 28) Six (6) ETC Source Four 36° 575w Eight (8) ETC Source Four PAR WFL 575w Two (2) Altman LED Work Lights #7 Electric (Lineset 29) Six (6) 6' ColorBlaze 72 RGBA LED Strips



# **Additional Lighting Inventory**

This does not include house hang units listed above.

Eighty One (81) ETC Source Four 575w Bodies

Fourteen (14) ETC Source Four 14° Lens Tubes

Twenty One (21) ETC Source Four 19° Lens Tubes

Forty Five (45) ETC Source Four 26° Lens Tubes

Twenty Nine (29) ETC Source Four 36° Lens Tubes

Sixteen (16) ETC Source Four 50° Lens Tubes

Four (4) ETC Source Four PAR 575w (VNSP, NSP, MFL, WFL, XFL lenses available)

Six (6) Color Blaze 72 LED Striplight units

Two (2) ETC Source Four 15°-30° Zoom

Two (2) ETC Source Four 25°-50° Zoom

## **Accessories**

Two (2) Zytex heat stop panels 18" x 20'

Six (6) 18" Scenery Bumpers

Nine (9) 61/4" Color Extenders

Ten (10) 6¼" Top Hats (48 additional used in house hang)

Twenty Five (25) 61/4" Half Hats

Twelve (12) 7½" Barn Doors

Eight (8) ETC Source Four drop-in iris units

Thirty-six (36) side arms 18" - 24"

Five (5) 35 lbs boom bases 1½" pipe

Ten (10) 50 lbs boom base 1½" pipe

## **SOUND SYSTEM**

One (1) Mackie CR1604-VLZ mixer - 16 channel inputs / 6 output

Three (3) Rane ME15 equalizer

One (1) audio snake 100' long, 8 x 4 channels

Three (3) QSC 1200 amplifiers

One (1) Marantz cd/cassette PMD 350

One (1) Technics DA-10 dat tape deck

Two (2) Denon CD player DN-c615

One (1) Tascam minidisc player MD 301 MKII

## **Speakers**

Four (4) Acoustek custom rebuilt, two (2) function as main PA

Six (6) EV S40B speakers

Four (4) Klipsch HIP, two (2) used as backstage monitors in house position



# Microphones

One (1) Audio-Technica 803A lapel microphone

One (1) Electro-Voice 647CL lavalier

Four (4) Electro-Voice 635A lo-z microphone

Two (2) Shure SC4 wireless system, FM lapel or handheld

Two (2) straight microphone stands

Six (6) boom stands

Six (6) Shure SM58 microphones (two w/switch)

# **Speaker outlets**

| Speaker Line # | Location                |
|----------------|-------------------------|
| 1 - 2          | Proscenium Wall SL      |
| 3 - 4          | Proscenium Wall SF      |
| 5              | Green Room              |
| 6 - 7          | Balcony Face            |
| 8 - 9          | <b>Projection Booth</b> |
| 10 & 12        | Upstage Left            |
| 11             | Upstage Right           |
| 13 - 14        | Trap Room               |
| 15 - 16        | Makeup Room             |
| 17 - 18        | Orchestra Pit           |

## **COMMUNICATION SYSTEMS**

# Intercom

One (1) dressing room monitor system w/ dressing room page

# **Headset System**

Twelve (12) Beyer DT-108 single muff headsets

Three (3) Clear-Com CC-75 single muff headsets

Two (2) Clear-Com KB-112 squawk boxes

One (1) Clear-Com MR-102

Two (2) Clear-Com PS-452

Eleven (11) Clear-Com RS-501 single belt packs

Three (3) Clear-Com RS-502 double belt packs

Six (6) Freespeak II wireless double belt packs



Video

Two (2) cameras One (1) color fixed on balcony rail pointing at the stage

One (1) black and white - portable (typically used for conductor

camera)

Ten (10) monitors One (1) located in the lobby, color

One (1) located in the green room, color One (1) located in the light booth, color

Two (2) located at stage manager's station SR, 9" black and white

One (1) located at stage manager's station SR, 19" Color

Two (2) portable 23" Color CRT on Cart

One (1) portable 9" black and white, typically on SR sound platform

One (1) located in wig and makeup room

#### **INFORMATION SYSTEM**

Wired - Ethernet 1000 Base-T, located in light booth. Advance arrangements required for access.

Wireless - U-M Wireless on-stage and in the auditorium and main lobby please refer to http://www.itdcom.itd.mich.edu/wireless/ for information regarding access and settings.

## **DRESSING ROOMS**

# Half Flight Below Stage Level

Green Room - located off stage right with access from backstage right, auditorium, and lobby.

# One Flight Below Stage Level

Two (2) Dressing Rooms (one stage right, one stage left) - Partitioned into 4 areas with doors on each area 3 areas are singles, 1 area is for 4 actors. Each area has a basin w/hot and cold water, mirror w/abundant light. A toilet is also located in each dressing room.

## Two Flights Below Stage Level

Two (2) Dressing Rooms (one stage right, one stage left) - seating and mirrors for 13 performers, a shower, 3 basins, toilet, and water fountain.

# Two and a Half Flights Below Stage Level

Wardrobe/Wig Room - located under the stage, half-flight below the trap room.

There are laundry facilities available in the trap room.



## **REMOVABLE SEATING**

All of Row A

Rows C & D, seats 1-5 & 18-22

Rows S & T, seats 1-5, for sound mix position

# CONFERENCE/LOBBY/BACKLINE EQUIPMENT

#### **Tables**

Two (2) 24" x 5' prop tables

One (1) 24" x 6' prop table

Two (2) 30" x 4' prop tables

Three (3) 30" x 5' prop tables

Two (2) 30" x 6' prop tables

One (1) 30" x 8' prop tables

# **Orchestra Pit**

One (1) Boston upright piano (rollable to house level, located in green room)

Twenty-Six (26) music stands

Twenty-Six (26) Chairs

Twenty-Six (26) music stand lights

One (1) electrical snake for music stand lights

#### Ladders

One (1) 20' A-frame ladder

One (1) 16' step ladder, aluminum

One (1) 12' step ladder, fiberglass

One (1) 8' step ladder, fiberglass

One (1) 6' step ladder, fiberglass

One (1) 5' step ladder, wood

One (1) Genie personnel lift (max platform height 20' - requires current lift certification)

# **Miscellaneous Equipment**

One (1) full-sized refrigerator - located in trap room

One (1) Walnut lectern with adjustable height and clock

One (1) 9' x 12' Fastfold screen with front and rear sheets

Some pleated, blue, table skirting is available



# **HOUSE LINE SET SCHEDULE:**

| HOOSE LINE | SET SCHEDULE:         |                    |                          |
|------------|-----------------------|--------------------|--------------------------|
| Line Set # | Distance from Plaster | House Hang         | Notes                    |
| 1          | 0'-6"                 | Red Main Curtain   | Operated from SR         |
| 2          | 1'-0"                 | Teaser             |                          |
| 3          | 2'-0"                 | #1 Electric        | Dimmers 54-79            |
| 4          | 3'-0"                 | #2 Electric        | Dimmers 80-85            |
| 5          | 3'-5"                 |                    |                          |
| 6          | 4'-0"                 | #1 Legs            |                          |
| 7          | 5'-0"                 |                    |                          |
| 8          | 5'-5"                 |                    |                          |
| 9          | 6'-0"                 |                    |                          |
| 10         | 6'-6"                 |                    |                          |
| 11         | 7'-0"                 |                    |                          |
| 12         | 7'-5"                 | #2 Border          |                          |
| 13         | 8'-6"                 | Mid Stage Traveler | Traveler Pull SR         |
| 14         | 9'-5"                 | #3 Electric        | Dimmers 86-103           |
| 15         | 10'-6"                | #4 Electric        | Dimmers 104-109          |
| 16         | 11'-6"                |                    |                          |
| 17         | 12'-0"                |                    |                          |
| 18         | 12'-6"                |                    |                          |
| 19         | 13'-0"                | #3 Border          |                          |
| 20         | 13'-6"                | #3 Legs            |                          |
| 21         | 14'-5"                | #5 Electric        | Dimmers 110-124          |
| 22         | 15'-5"                |                    |                          |
| 23         | 15'-11"               |                    |                          |
| 24         | 16'-5"                |                    |                          |
| 25         | 17'-0"                |                    |                          |
| 26         | 17'-5"                | #4 Border          |                          |
| 27         | 17'-11"               | Upstage Traveler   | Traveler Pull SR         |
| 28         | 19'-4"                | #6 Electric        | Dimmers 125-136          |
| 29         | 25'-9"                | #7 Electric        | Curved, SL/SR at +19'-0" |

