

Technical Information for Arthur Miller Theatre

Version current as of November 2024

VENUE ADDRESS

1226 Murfin Avenue Ann Arbor, MI 48109-1212

MAILING ADDRESS

University Productions 128 Michigan League 911 N. University Ave. Ann Arbor, MI 48109-1265

AUDITORIUM SEATING CAPACITY

Seating in this venue is flexible and removable with the use of an IA crew. The number below lists maximum possible seating in both configurations.

End Stage Configuration:

Main Floor 189 Main Floor Wheelchair Spaces 6 Mezzanine 61 Mezzanine Wheelchair Spaces 2 Total End Stage capacity (including accessible seating) 258

Thrust Configuration:

Main Floor 168 Main Floor Wheelchair Spaces 4 Mezzanine 42 Mezzanine Wheelchair Spaces 2 Total Thrust capacity (including accessible seating) 216

LOAD-IN ACCESS

Exterior Loading Door 5'-10" x 7' (Standard double door at street level) Note: Special arrangements must be made if users need access thru the scene shop roll-up loading door (8' x 12'-2"). Permission granted on a case by case basis.



STAGE SPECIFICATIONS

Proscenium width 38' (as created by house drapery) Proscenium height 21' (as created by house drapery) End Stage lip to back wall 28' 2" (including decked-over orchestra pit) Maximum Stage Thrust 24' x 24' Dimensions of orchestra pit 6' x 24' Note: Orchestra pit is on a lift which is decked over and used as part of the stage floor in both end stage and thrust configurations. Special request must be made to open the orchestra pit and extra charges will apply. Not all requests can be accommodated. Stage floor - Masonite, painted black

RIGGING

Pin rails available Stage Left and Stage Right at +24' above stage floor Single purchase manual counterweight system, locking rail on deck Stage Right Number of line sets 22 Highest batten can be flown 33'-5" Lowest batten can be flown 4' Batten length 42' Arbor length 7' (T Track located SR) Arbor capacity 1,287 lbs. House weights 18lbs - Full Weight / 9lbs. - Half Weight *Note - there is no grid. All line sets are underhung to structural steel.*

SOFT GOODS

House Masking Hang (all draperies are black velour) One (1) Border 42' x 8' Two (2) Borders 42' x 12' Two (2) Torm Panels 17'-8" x 22'-6" Three (3) Pair Legs 13'-6" x 24' One (1) Scrim, black sharkstooth 40' x 23' One (1) RP Sheet 40' x 24'

Six (6) dead-hung side tabs (3 per side) available to mask offstage wing space.

Additional drapery Two (2) Pair Legs 13'-6" x 24'

COMPANY SWITCHES

110/208v 3 phase 5 wire - One (1) 400 amp disconnect offstage Left 110/208v 3 phase 5 wire - One (1) 200 amp disconnect in Stage Left Tech



Gallery Note - Access to this power is ONLY via 400 amp CamLocks

LIGHTING SYSTEM

Lighting Control

One (1) ETC EOS Apex 5 control console (24K outputs) (includes three (3) touch screen external displays) One (1) ETC Eos Motorized Fader Wing 10 One (1) ETC Puck (6K outputs) w/ two (2) touch screen displays ETC Net3 (sACN) ports located throughout the hall w/ six (6) portable ETC Response MkII 2-port DMX gateways

Dimmers

ETC Sensor+ dimmer system with direct ETC Net3 (sACN) control Two hundred fifty six (256) ETC 2.4kW dimmers Six (6) ETC 6kW dimmers Note - A circuit chart is available upon request

Entire Lighting Inventory (includes standard house hang)

Fifteen (15) ETC Source Four 19° Sixteen (16) ETC Source Four 26° Fourteen (14) ETC Source Four 36° Fourteen (14) ETC Source Four 50° Sixty-one (61) ETC Source Four Jr. Zooms Thirty-five (35) ETC Source Four 15°-30° Zooms Fifty-five (55) ETC Source Four 25°-50° Zooms Thirty-two (32) ETC Source Four Parnels Eight (8) mini 10s w/barndoors Eighteen (18) Altman SpectraCyc 100 LEDs Eight (8) VariLite VL 1000TS (additional fees applied for approved use of VariLites) Note - The majority of these units are installed in the house repertory plot. Any changes must be restored during strike.

Accessories

Twelve (12) Side-arms w/tee Eight (8) ETC Source Four drop-in iris units Twenty (20) side arms 18" - 24" Eight (8) 50 lbs boom base with 8' x 1-1/2" pipe Thirty (30) Barndoors for Source Four Parnels Misc top-hats and half hats

SOUND SYSTEM

Console One (1) Soundcraft Series Two, 24 channels



Playback Devices

Two (2) HHB Model CDR830 CD player/burners One (1) Lexicon MPX550 effects processor

Speakers and Amplifiers

Six (6) Renkus-Heinz PN121 Powered Monitors Two (2) Renkus-Heinz PNX121 Un-Powered Monitors Two (2) Renkus-Heinz PN 81 Powered Monitors Two (2) Renkus-Heinz TRX 81/9 Un-Powered Monitors Ten (10) Tannoy VXP6 Powered Monitors Two (2) Meyer USW-1P powered subwoofers Two (2) EAW UB12Se Forty (40) tie-lines located strategically around stage, house, galleries, and catwalks Fifteen (15) speakon NL-4 jacks around stage area One (1) QSC stereo amp patchable to any speakon jack

Microphones and Accessories

Two (2) Shure SM57 Two (2) Shure SM58 Two (2) Shure SM81 Two (2) Shure ULX wireless system, lapel or handheld

Microphone jack outlets

Mic Line # Location 1-16 DSR on stage 17-32 USL on stage 33-40 DSL on stage 41-56 Trap Room

COMMUNICATION SYSTEMS

Headset System

Twelve (12) Telex PH-88 single muff headsets Two (2) Clear-Com CC-95 single muff headsets One (1) Clear-Com KB-212 squawk box Twelve (12) Clear-Com RS-601 single belt packs One (1) Clear-Com RS-602 double belt pack Ten (10) Freespeak II wireless belt packs



Intercom and Video

One (1) dressing room monitor system w/ dressing room page

- One (1) Color camera for stage view
- One (1) Color monitor
- One (1) Black/white camera for conductor view
- Two (2) CRT monitors mounted in house for conductor view

Information Systems

Wired - Ethernet 1000 Base-T, located in box office, tech booth, and various locations throughout the building. Advance arrangements required for access.

Wireless - U-M Wireless on-stage and in the auditorium and main lobby please refer to <u>http://www.itdcom.itd.mich.edu/wireless/</u> for information regarding access and settings.

DRESSING ROOMS

There are laundry facilities available at basement level.

One Flight Below Stage Level:

Two (2) Dressing Rooms each for sixteen persons with adjoining bathrooms with showers. Wardrobe/Wig Room for three persons

REMOVABLE SEATING

All seating can be removed. Additional charges will apply and additional labor will be required

CONFERENCE/LOBBY/BACKLINE EQUIPMENT

Tables:

One (1) 24" x 9'4" prop table Four (4) 30" x 6' tables

Orchestra Pit:

One (1) Yamaha upright piano available upon request Twenty (20) music stands Twenty (20) Chairs Twenty (20) music stand lights Two (2) Bass stools

Ladders:

Two (2) 6' step ladder, fiberglass One (1) Genie Personnel Lift

Miscellaneous Equipment

One (1) full-sized refrigerator - located in small office in basement One (1) United States Flag with base



One (1) Michigan State Flag with base One (1) Flag base Four (4) pleated, burgundy, table skirting is available One (1) lectern One (1) 9' x 12' fast fold screen with front and rear projection sheets

HOUSE LINE SET SCHEDULE:

Line Set # Distance from Plaster House Hang Notes 1 0'-6" Teaser Black 21'-0" 3 1'-6" Traveler Black, Full Stage 5 2'-6" #1 Electric 7 3'-6" #2 Electric 9 4'-6" #1 Border 11 5'-6" #1 Leg Black Velour, 2 @ 13'-6" x 24' 13 6'-6" #3 Electric 15 7'-6" #4 Electric 17 8'-6" 19 9'-6" #2 Border 21 10'-6" #2 Leg Black Velour, 2 @ 13'-6" x 24' 23 11'-6" 25 12'-6" #5 Electric 27 13'-6" #6 Electric 29 14'-6" 31 15'-6" #3 Border 33 16'-6" #3 Leg Black Velour, 2 @ 13'-6" x 24' 35 17'-6" Black Scrim 37 18'-6" Rosco RP Sheet 39 19'-6" #7 Electric SpectraCyc LEDs 41 20'-6"